



## Editorial

- e82** Formulation and compatibility studies are important  
*P Wiffen*

## Original articles

- e83** Chemical and microbiological stability, anticoagulant efficacy and toxicity of 35 and 90 mM trisodium citrate solutions stored in plastic syringes  
*P Milla, M L Viterbo, S Mosca, S Arpicco*
- e88** Physicochemical stability of voriconazole in elastomeric devices  
*H Harmanjeet, S T R Zaidi, L C Ming, T Wanandy, R P Patel*
- e93** Stability of repackaged dabigatran etexilate capsules in dose administration aids  
*S G Robertson, B D Glass*
- e98** Stability of warfarin sodium flavoured preservative-free oral liquid formulations  
*J Schlatter, S Cisternino*
- e102** Investigations into the physical and chemical stability of concentrated co-trimoxazole intravenous infusions  
*I Khaleel, S T R Zaidi, M D Shastri, M S Eapen, L C Ming, T Wanandy, R P Patel*
- e109** Stability of prostaglandin E<sub>1</sub> solutions stored in polypropylene syringes for continuous intravenous administration to newborns  
*D Palmero, E Chavan, M Berger-Gryllaki, J-F Tolsa, E R Di Paolo, A Pannatier, H Henry, F Sadeghipour*
- e115** Physical and chemical stability of ceftaroline in an elastomeric infusion device  
*F Al Madfai, S T R Zaidi, L C Ming, T Wanandy, R P Patel*
- e120** Potassium canrenoate compounding for administration via enteral feeding tubes: a physical and microbiological stability study  
*S Logrippo, M Sestili, R Ganzetti, G Bonacucina, A Marziali, P Fattoretti, S Busco, A Caraffa, C Polidori, G F Palmieri*
- e126** Validation of a procedure to mix homogenous solutions in bags and syringes  
*T Pauline, B Lucie, B Pascal*
- e130** In-use microbiological assessment of caffeine citrate 10 mg/mL oral solution  
*J Smith, C Marks*
- e134** Stability of mixtures of ondansetron and haloperidol stored in infusers at different temperatures  
*M Espinosa-Bosch, F Sanchez-Rojas, C Bosch-Ojeda*
- e139** Physical compatibility of MCT/LCT propofol emulsions with crystalloids during simulated Y-site administration  
*G Szalai, G Katona, M Matuz, O Jójárt-Laczkovich, P Doró*

Credit: iStock.



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available under the BMJ Journals Open Access scheme. See <https://authors.bmj.com/open-access>



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

[www.publicationethics.org](http://www.publicationethics.org)



When you have finished with this magazine please recycle it.